

# X8: Specifications

JURA Standards		
Variable brewing chamber		5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S.®)		Yes
Intelligent preheating		Yes
Active bean monitoring		Yes
Energy Save Mode (E.S.M.®)		Yes
High-performance pump, 15 bar		1
Thermoblock heating system		2
Fluid system		1
Monitored drip tray		Yes
Maintenance status display		Yes
Integrated rinsing, cleaning and descaling program		Yes
Adjustable water hardness		Yes
One or two cups of espresso in one brewing operation		Yes
JURA hygiene: TÜV-certified		Yes
Filter cartridge		CLARIS Pro Smart
Zero-Energy Switch or power switch		Classic
Swiss made		Yes
Specialities		
Number of products		21
Products		1 ristretto 2 ristretti 1 espresso 2 espressi 1 coffee 2 coffees 1 cappuccino 2 cappuccini 1 caffè latte 2 caffè latte 1 latte macchiato

	2 latte macchiati 1 Flat White 2 Flat Whites 1 portion of milk 2 portions of milk Pot of coffee Hot water hot water for green tea 1 special coffee 2 special coffees
Pot of espresso-quality coffee	Yes
Hot water function	Yes
Pot of coffee (360 ml / 12 oz.)	2 min. 20 sec.
2 latte macchiati	1 min. 50 sec.
2 cappuccini	1 min. 18 sec.
2 caffè latte (cafés au lait)	1 min. 34 sec.
2 coffees	1 min. 3 sec.
2 espressi	48 sec.
2 ristretti	33 sec.
Hot water (200 ml / 7 oz.)	50 sec.

### Advantages

App Compatibility	JURA Connect App JURA Coffee App Professional
JURA fine foam technology	Yes
Milk or milk foam preparation	Yes
Smart Connect compatible	Yes
Grinder type	Aroma <sup>G3</sup> grinder
Number of grinders	1
Pulse Extraction Process (P.E.P. <sup>®</sup> )	Yes

### Settings and programming options

Programmable amount of water	Yes
Amount of water can be adjusted for each preparation	Yes

Programmable coffee strength in levels	10
Coffee strength can be adjusted for each preparation	Yes
Programmable brewing temperature	2
Programmable amount of milk	Yes
Hot water temperature can be programmed in levels	3
Programmable amount of hot water	Yes
Programmable switch-off time	Yes
Shows the number of preparations for each individual product	Yes
Integrated milk system rinsing and cleaning programme	Yes
Automatic milk rinse	Yes
Remaining time display	Yes

#### **Design and materials**

Display	TFT color display
Height-adjustable dual spout (Milk/Coffee)	65 - 153 mm
Hot-water spout	Yes
Cup illumination	White and amber
Sound design	Yes

#### **Areas of use and recommended maximum daily output**

Recommended maximum daily output	80
Areas of use	Catering Large offices Canteens Self-service areas Service provider Reseller

#### **In figures**

Water tank capacity	5 L
Coffee grounds container (servings)	40
Numbers of bean containers	1

Capacity of bean container with aroma preservation cover	500 g
Bean container can be optionally extended to	1000 g
Cable length	1.2 m
Voltage	220 - 240 V ~
Current	10 amp
Frequency	50 hz
Power	1450 Watt
Accounting systems	compatible
Stand-by power	< 0.5 Watt
Weight	14 kg
Width	37.3 cm
Height	47 cm
Depth	46.1 cm
Article Number	15191